Author index

AAGAARD, C.S. *see* AGGER, E.M.
ACHATZ, G. *see* GEISBERGER, R.
ACHATZ, G. *see* RHYNER, C.
AGGER, E.M., BROCK, I., OKKELS, L.M., AREND, S.M., AAGAARD, C.S., WELDINGH, K.N. & ANDERSEN, P. Human T-cell responses to the RD1-encoded protein TB27.4 (Rv3878) from *Mycobacterium tuberculosis*, 507
AHMAD, S.R., LIDINGTON, E.A., OHTA, R., OKADA, N., ROBSON, M.G., DAVIES, K.A., LEITGES, M., HARRIS, C.L., HASKARD, D.O. & MASON, J.C. Decay-accelerating factor induction by tumour necrosis factor-α, through a phosphatidylinositol-3 kinase and protein kinase C-dependent pathway, protects murine vascular endothelial cells against complement deposition, 258
AHMED, R. *see* WAN, J.
ALT, F.W. *see* EXLEY, M.A.
ANDERSEN, P. *see* AGGER, E.M.
ANDREESEN, R. *see* FRITSCHE, J.
ANDRIGHETTO, G. *see* SARTORIS, S.
ANHENN, O. *see* ROTHOEFT, T.
AREND, S.M. *see* AGGER, E.M.
ASAI, Y. *see* TAMAI, R.

BABIUK, L.A. *see* MENA, A.
BALK, S.P. *see* EXLEY, M.A.
BARBER, K.A. *see* BJORKDAHL, O.
BARRETT, E.G., RUDOLPH, K., BOWEN, L.E. & BICE, D.E. Parental allergic status influences the risk of developing allergic sensitization and an asthmatic-like phenotype in canine offspring, 493
BARTZ, H. *see* ROTHOEFT, T.
BATEMAN, A. *see* CASEY, D.G.
BATTAGLIA, A., FERRANDINA, G., BUZZONETTI, A., MALINCONICO, P., LEGGE, F., SALUTARI, V., SCAMBIA, G. & FATTOROSSI, A. Lymphocyte populations in human lymph nodes. Alterations in $CD4^+$ $CD25^+$ T regulatory cell phenotype and T-cell receptor Vβ repertoire, 304
BEACOCK-SHARP, H. *see* ROBSON, N.C.
BELLETTE, B.M., WOODS, G.M., WOZNIAK, T., DOHERTY, K.V. & MULLER, H.K. DEC-205^{lo} $Langerin^{lo}$ neonatal Langerhans' cells preferentially utilize a wortmannin-sensitive, fluid-phase pathway to internalize exogenous antigen, 466
BICE, D.E. *see* BARRETT, E.G.
BIGLEY, N.J. *see* EXLEY, M.A.
BJORKDAHL, O., BARBER, K.A., BRETT, S.J., DALY, M.G., PLUMPTON, C., ELSHOURBAGY, N.A., TITE, J.P. & THOMSEN, L.L. Characterization of CC-chemokine receptor 7 expression on murine T cells in lymphoid tissues, 170
BLASER, K. *see* RHYNER, C.
BOLWIG, C. *see* WINKLER, B.
BOWEN, L.E. *see* BARRETT, E.G.
BRAAKMAN, E. *see* COMMEREN, D.L.
BRETT, S.J. *see* BJORKDAHL, O.
BRIONES, M. *see* VAJDY, M.
BRITTI, D. *see* CUZZOCREA, S.
BROCK, I. *see* AGGER, E.M.
BROWNING, G.F. *see* PETERS, M.A.
BROWNLIE, J. *see* STEPHENS, S.A.
BUDDLE, B.M. *see* SKINNER, M.A.
BUZZONETTI, A. *see* BATTAGLIA, A.

CAIN, K. *see* SIMS-MOURTADA, J.C.
CAO, H. *see* ELREFAEI, M.
CAPUTI, A.P. *see* CUZZOCREA, S.
CARDELL, S. *see* SKÖLD, M.
CARLSTEN, H. *see* ISLANDER, U.
CARMODY, R.J. *see* XU, L.
CARRASCO, C.P. *see* SUMMERFIELD, A.
CARTER, Q.L. *see* EXLEY, M.A.
CASEY, D.G., LYSAGHT, J., JAMES, T., BATEMAN, A., MELCHER, A.A. & TODRYK, S.M. Heat shock protein derived from a non-autologous tumour can be used as an anti-tumour vaccine, 105
CESTARI, T. *see* SARTORIS, S.
CHAN, C.-C. *see* MCPHERSON, S.W.
CHARLESTON, B. *see* STEPHENS, S.A.
CHARLEY, B. *see* SUMMERFIELD, A.
CHEN, Y.H. *see* XU, L.
CHENG, O. *see* EXLEY, M.A.
CHIGNOLA, R. *see* SARTORIS, S.
CHRISTIANSON, D.W. *see* XU, L.
CLARK, M.R. *see* WANG, L.D.
COMMEREN, D.L., VAN SOEST, P.L., KARIMI, K., LÖWENBERG, B., CORNELISSEN, J.J. & BRAAKMAN, E. Paradoxical effects of interleukin-10 on the maturation of murine myeloid dendritic cells, 188
CONTIN, C., PITARD, V., DELMAS, Y., PELLETIER, N., DEFRANCE, T., MOREAU, J.-F., MERVILLE, P. & DÉCHANET-MERVILLE, J. Potential role of soluble CD40 in the humoral immune response impairment of uraemic patients, 131
CORNALL, R.J. *see* FORRESTER, J.V.
CORNELISSEN, J.J. *see* COMMEREN, D.L.
CRABB, B.S. *see* PETERS, M.A.
CRAMERI, R. *see* GEISBERGER, R.
CRAMERI, R. *see* RHYNER, C.
CUADRA, L. *see* VAJDY, M.
CULLEY, F.J. & OLSZEWSKA, W. Physical trauma of vaccination acts as a wake-up call to dangers in the skin, 291
CUZZOCREA, S., ROSSI, A., SERRAINO, I., DI PAOLA, R., DUGO, L., GENOVESE, T., BRITTI, D., SCIARRA, G., DE SARRO, A., CAPUTI, A.P. & SAUTEBIN, L. 5-lipoxygenase knockout mice exhibit a resistance to acute pancreatitis induced by cerulein, 120

DÉCHANET-MERVILLE, J. *see* CONTIN, C.
DAHLGREN, U. *see* ISLANDER, U.
DALY, M.G. *see* BJORKDAHL, O.
DASHTSOODOL, N. *see* MOROHASHI, T.
DAUER, M., POHL, K., OBERMAIER, B., MESKENDAHL, T., RÖBE, J., SCHNURR, M., ENDRES, S. & EIGLER, A. Interferon-α disables dendritic cell precursors: dendritic cells derived from interferon-α-treated monocytes are defective in maturation and T-cell stimulation, 38
DAVIES, K.A. *see* AHMAD, S.R.
DE GROOT, J. *see* MOSSINK, M.H.
DE LA MAZA, L.M. *see* PAL, S.
DE SARRO, A. *see* CUZZOCREA, S.
DEFRANCE, T. *see* CONTIN, C.
DEL GIUDICE, G. *see* VAJDY, M.
DELMAS, Y. *see* CONTIN, C.
DENT, D. *see* MENA, A.
DI PAOLA, R. *see* CUZZOCREA, S.
DINARELLO, C.A. *see* STUYT, R.J.L.
DOHERTY, K.V. *see* BELLETTE, B.M.
DONACHIE, A.M. *see* ROBSON, N.C.
DOOPER, M.M.B.W., VAN RIEL, B., GRAUS, Y.M.F. & M'RABET, L. Dihomo-γ-linolenic acid inhibits tumour necrosis factor-α production by human leucocytes independently of cyclooxygenase activity, 348
DOU, C. *see* MCPHERSON, S.W.
DRESCHER, B., WITTE, T. & SCHMIDT, R.E. Glycosylation of FcγRIII in N163 as mechanism of regulating receptor affinity, 335
DUGO, L. *see* CUZZOCREA, S.

EBNER, C. *see* WINKLER, B.
EIGLER, A. *see* DAUER, M.
EL-SHEIKH, N. *see* ELREFAEI, M.
ELREFAEI, M., EL-SHEIKH, N., KAMAL, K. & CAO, H. HCV-specific $CD27^-$ $CD28^-$ memory T cells are depleted in hepatitis C virus and *Schistosoma mansoni* co-infection, 513
ELSHOURBAGY, N.A. *see* BJORKDAHL, O.
ENDRES, S. *see* DAUER, M.
ERLANDSSON, M.C. *see* ISLANDER, U.
EXLEY, M.A., BIGLEY, N.J., CHENG, O., SHAULOV, A., TAHIR, S.M.A., CARTER, Q.L., GARCIA, J., WANG, C., PATTEN, K., STILLS, H.F., ALT, F.W., SNAPPER, S.B. & BALK, S.P. Innate immune response to encephalomyocarditis virus infection mediated by CD1d, 519

FATTOROSSI, A. *see* BATTAGLIA, A.
FERRANDINA, G. *see* BATTAGLIA, A.
FOLEY, J.W. *see* WORTINGER, M.A.
FORRESTER, J.V. & CORNALL, R.J. Tolerance and autoimmunity in the eye: a role for CD8 T cells in organ-specific autoimmunity in the retina, 293
FRÄNZEL-LUITEN, E. *see* MOSSINK, M.H.
FRITSCHE, J., MÜLLER, A., HAUSMANN, M., ROGLER, G., ANDREESEN, R. & KREUTZ, M. Inverse regulation of the ADAM-family members, decysin and MADDAM/ADAM19 during monocyte differentiation, 450
FUJII, S. *see* MOROHASHI, T.
FUKASE, K. *see* TAMAI, R.

GAO, X. *see* JIN, Y.
GARCIA, A.L., RÜHL, R., HERZ, U., KOEBNICK, C., SCHWEIGERT, F.J. & WORM, M. Retinoid- and carotenoid-enriched diets influence the ontogenesis of the immune system in mice, 180
GARCIA, J. *see* EXLEY, M.A.
GEIJTENBEEK, T.B.H. *see* STUYT, R.J.L.
GEISBERGER, R., CRAMERI, R. & ACHATZ, G. Models of signal transduction through the B-cell antigen receptor, 401
GENOVESE, T. *see* CUZZOCREA, S.

GHOSH, S.K. *see* LIM, S.-Y.
GLASEBROOK, A. *see* WORTINGER, M.A.
GODSON, D.L. *see* MENA, A.
GOLOUBEVA, O. *see* HOU, R.
GONSCHOREK, A. *see* ROTHOEFT, T.
GONZÁLEZ-BONILLA, C.R. *see* VEGA, M.I.
GOUGH, M.J. *see* TODRYK, S.M.
GRAUS, Y.M.F. *see* DOOPER, M.M.B.W.
GREGERSON, D.S. *see* MCPHERSON, S.W.
GRIEBEL, P. *see* MENA, A.
GUERRIERO, C. *see* SARTORIS, S.
GUO, Y. *see* JIN, Y.
GURET, C. *see* SIMS-MOURTADA, J.C.
GUSTAFSSON, J-Å. *see* ISLANDER, U.
GUTZMER, R. *see* WEINMANN, O.
GUZMAN-ROJAS, L. *see* SIMS-MOURTADA, J.C.
GUZYLACK-PIRIOU, L. *see* SUMMERFIELD, A.

HÖGLUND, P. *see* SKÖLD, M.
HÜBNER, P. *see* RHYNER, C.
HAO, J. *see* JIN, Y.
HARRIS, C.L. *see* AHMAD, S.R.
HASHIMOTO, M. *see* TAMAI, R.
HASKARD, D.O. *see* AHMAD, S.R.
HASSÉUS, B. *see* ISLANDER, U.
HAUSMANN, M. *see* FRITSCHE, J.
HECKER, R. *see* MENA, A.
HERZ, U. *see* GARCIA, A.L.
HEWITT, E.W. The MHC class I antigen presentation pathway: strategies for viral immune evasion, 163
HILLIARD, B. *see* XU, L.
LEE, K.H. *see* OH, K.-S.
HOU, R., GOLOUBEVA, O., NEUBERG, D.S., STROMINGER, J.L. & WILSON, S.B. Interleukin-12 and interleukin-2-induced invariant natural killer T-cell cytokine secretion and perforin expression independent of T-cell receptor activation, 30
HOWARD, C.J. *see* STEPHENS, S.A.
HUERTA-YEPEZ, S. *see* VEGA, M.I.

IIJIMA, N., YANAGAWA, Y., IWABUCHI, K. & ONOÉ, K. Selective regulation of CD40 expression in murine dendritic cells by thiol antioxidants, 197
IIJIMA, N., YANAGAWA, Y. & ONOÉ, K. Role of early- or late-phase activation of p38 mitogen-activated protein kinase induced by tumour necrosis factor-α or 2,4-dinitrochlorobenzene during maturation of murine dendritic cells, 322
ISHIDA, H. *see* TAMAI, R.
ISIBASI, A. *see* VEGA, M.I.
ISLANDER, U., ERLANDSSON, M.C., HASSÉUS, B., JONSSON, C.A., OHLSSON, C., GUSTAFSSON, J-Å., DAHLGREN, U. & CARLSTEN, H. Influence of oestrogen receptor α and β on the immune system in aged female mice, 149
IWABUCHI, K. *see* IIJIMA, N.
IWABUCHI, K. *see* MOROHASHI, T.

JAKUBOWSKI, J.A. *see* WORTINGER, M.A.
JAMES, T. *see* CASEY, D.G.
JI, X. *see* WAN, J.
JIN, Y., ZHANG, Q., HAO, J., GAO, X., GUO, Y. & XIE, S. Simultaneous administration of a low-dose mixture of donor bone marrow cells and splenocytes plus adenovirus containing the CTLA4Ig gene result in stable mixed chimerism and long-term survival of cardiac allograft in rats, 275
JONSSON, C.A. *see* ISLANDER, U.

KAECH, S.M. *see* WAN, J.
KAISER, P. *see* PETERS, M.A.
KAMAL, K. *see* ELREFAEI, M.
KAPP, A. *see* WEINMANN, O.
KARIMI, K. *see* COMMEREN, D.L.
KAZZAZ, J. *see* VAJDY, M.
KIEBER-EMMONS, T. *see* PRINZ, D.M.
KISO, M. *see* TAMAI, R.
KOEBNICK, C. *see* GARCIA, A.L.
KOHANAWA, M. *see* YIMIN
KREUTZ, M. *see* FRITSCHE, J.
KRONENBERG, M. *see* SKÖLD, M.
KULLBERG, B.J. *see* STUYT, R.J.L.
KUSUMOTO, S. *see* TAMAI, R.
KWEON, M.-H. *see* OH, K.-S.

LÖWENBERG, B. *see* COMMEREN, D.L.
LAHN, M. *see* WORTINGER, M.A.
LANGER, K. *see* WEINMANN, O.
LAROCQUE, P. *see* WORTINGER, M.A.
LAUN, K. *see* RADELOFF, B.
LEGGE, F. *see* BATTAGLIA, A.
LEITGES, M. *see* AHMAD, S.R.
LIDINGTON, E.A. *see* AHMAD, S.R.
LIEBERMAN, J. *see* WAN, J.
LIM, S.-Y. & GHOSH, S.K. Autoreactive responses to an environmental factor: 1. phthalate induces antibodies exhibiting anti-DNA specificity, 482
LISEWSKI, M. *see* WEINMANN, O.
LIU, L., ZHOU, X., SHI, J., XIE, X. & YUAN, Z. Toll-like receptor-9 induced by physical trauma mediates release of cytokines following exposure to CpG motif in mouse skin, 341
LOIS, C. *see* WAN, J.
LURÍA-PEREZ, R. *see* VEGA, M.I.
LYSAGHT, J. *see* CASEY, D.G.

M'RABET, L. *see* DOOPER, M.M.B.W.
MÜLLER, A. *see* FRITSCHE, J.
MALINCONICO, P. *see* BATTAGLIA, A.
MANJUNATH, N. *see* WAN, J.
MARTINEZ-VALDEZ, H. *see* SIMS-MOURTADA, J.C.
MARTINVALET, D. *see* WAN, J.
MASON, J.C. *see* AHMAD, S.R.
MATUCCI, A. *see* SARTORIS, S.
MAYHEW, E. *see* SKELSEY, M.E.
MCCARTHY, A. *see* SKINNER, M.A.
MCCULLOUGH, K.C. *see* SUMMERFIELD, A.
MCPHERSON, S.W., YANG, J., CHAN, C.-C., DOU, C. & GREGERSON, D.S. Resting CD8 T cells recognize β-galactosidase expressed in the immune-privileged retina and mediate autoimmune disease when activated, 386
MELCHER, A.A. *see* CASEY, D.G.
MENA, A., NICHANI, A.K., POPOWYCH, Y., GODSON, D.L., DENT, D., TOWNSEND, H.G.G., MUTWIRI, G.K., HECKER, R., BABIUK, L.A. & GRIEBEL, P. Innate immune responses induced by CpG oligodeoxyribonucleotide stimulation of ovine blood mononuclear cells, 250
MERVILLE, P. *see* CONTIN, C.
MESKENDAHL, T. *see* DAUER, M.
MINAGAWA, T. *see* YIMIN
MISHIMA, T. *see* MOROHASHI, T.
MOMMERT, S. *see* WEINMANN, O.
MOREAU, J.-F. *see* CONTIN, C.
MOROHASHI, T., IWABUCHI, K., WATANO, K., DASHTSOODOL, N., MISHIMA, T., NAKAI, Y., SHIMADA, S., NISHIDA, R., FUJII, S. & ONOÉ, K. Allograft inflammatory factor-1 regulates trinitrobenzene sulphonic acid-induced colitis, 112
MOSSINK, M.H., DE GROOT, J., VAN ZON, A., FRÄNZEL-LUITEN, E., SCHOESTER, M., SCHEFFER, G.L., SONNEVELD, P., SCHEPER, R.J. & WIEMER, E.A.C. Unimpaired dendritic cell functions in *MVP/LRP* knockout mice, 58
MOWAT, A.MCI. *see* ROBSON, N.C.
MULLER, H.K. *see* BELLETTE, B.M.
MUTWIRI, G.K. *see* MENA, A.

NAKAI, Y. *see* MOROHASHI, T.
NETEA, M.G. *see* STUYT, R.J.L.
NEUBERG, D.S. *see* HOU, R.
NGHIEM, D.X. *see* SIMS-MOURTADA, J.C.
NICHANI, A.K. *see* MENA, A.
NIEDERKORN, J.Y. *see* SKELSEY, M.E.
NISHIDA, R. *see* MOROHASHI, T.
NORELLI, F. *see* VAJDY, M.

O'HAGAN, D. *see* VAJDY, M.
OBERMAIER, B. *see* DAUER, M.
OGAWA, T. *see* TAMAI, R.
OH, K.-S., KWEON, M.-H., RHEE, K.-H., LEE, K.H. & SUNG, H.-C. Inhibition of complement activation by recombinant Sh-CRIT-ed1 analogues, 73
OHLSSON, C. *see* ISLANDER, U.
OHTA, R. *see* AHMAD, S.R.
OKADA, N. *see* AHMAD, S.R.
OKKELS, L.M. *see* AGGER, E.M.
OLSZEWSKA, W. *see* CULLEY, F.J.
ONOÉ, K. *see* IIJIMA, N.
ONOÉ, K. *see* MOROHASHI, T.
ORTIZ-NAVARRETE, V. *see* VEGA, M.I.
OSAKI, T. *see* YAMAMOTO, T.

PAL, S., PETERSON, E.M. & DE LA MAZA, L.M. Induction of protective immunity against a *Chlamydia trachomatis* genital infection in three genetically distinct strains of mice, 368
PARLANE, N. *see* SKINNER, M.A.
PATTEN, K. *see* EXLEY, M.A.
PELLETIER, N. *see* CONTIN, C.
PEPPOLONI, S. *see* VAJDY, M.
PETERS, M.A., BROWNING, G.F., WASHINGTON, E.A., CRABB, B.S. & KAISER, P. Embryonic age influences the capacity for cytokine induction in chicken thymocytes, 358
PETERSON, E.M. *see* PAL, S.
PITARD, V. *see* CONTIN, C.
PLUMPTON, C. *see* BJORKDAHL, O.

POCKLEY, A.G. *see* TODRYK, S.M.
POHL, K. *see* DAUER, M.
POPOWYCH, Y. *see* MENA, A.
PRINZ, D.M., SMITHSON, S.L., KIEBER-EMMONS, T. & WESTERINK, M.A.J. Induction of a protective capsular polysaccharide antibody response to a multiepitope DNA vaccine encoding a peptide mimic of meningococcal serogroup C capsular polysaccharide, 242

RÖBE, J. *see* DAUER, M.
RÜHL, R. *see* GARCIA, A.L.
RADELOFF, B., LAUN, K., ZIRRA, M. & VOLZ, A. Killer immunoglobulin-like receptor expression on single cells: a cautionary note, 421
RANGEL, R. *see* SIMS-MOURTADA, J.C.
RHEE, K.-H. *see* OH, K.-S.
RHYNER, C., WEICHEL, M., HÜBNER, P., ACHATZ, G., BLASER, K. & CRAMERI, R. Phage display of human antibodies from a patient suffering from coeliac disease and selection of isotype-specific scFv against gliadin, 269
RIVIERA, A.P. *see* SARTORIS, S.
ROBSON, M.G. *see* AHMAD, S.R.
ROBSON, N.C., BEACOCK-SHARP, H., DONACHIE, A.M. & MOWAT, A.MCI. The role of antigen-presenting cells and interleukin-12 in the priming of antigen-specific $CD4^+$ T cells by immune stimulating complexes, 95
ROGLER, G. *see* FRITSCHE, J.
ROSSI, A. *see* CUZZOCREA, S.
ROT, A. *see* ZEMANN, B.
ROTHOEFT, T., GONSCHOREK, A., BARTZ, H., ANHENN, O. & SCHAUER, U. Antigen dose, type of antigen-presenting cell and time of differentiation contribute to the T helper 1/T helper 2 polarization of naive T cells, 430
RUDOLPH, K. *see* BARRETT, E.G.
RUGGIERO, P. *see* VAJDY, M.

SAIFUDDIN, M. *see* SPEAR, G.T.
SALUTARI, V. *see* BATTAGLIA, A.
SANTOS-ARGUMEDO, L. *see* VEGA, M.I.
SARTORIS, S., TESTI, M.G., STEFANI, E., CHIGNOLA, R., GUERRIERO, C., MATUCCI, A., CESTARI, T., SCARPA, A., RIVIERA, A.P., ZANONI, G., TRIDENTE, G. & ANDRIGHETTO, G. Induction of an antitumour adaptive immune response elicited by tumour cells expressing *de novo* B7-1 mainly depends on the anatomical site of their delivery: the dose applied regulates the expansion of the response, 474
SAUTEBIN, L. *see* CUZZOCREA, S.
SCAMBIA, G. *see* BATTAGLIA, A.
SCARPA, A. *see* SARTORIS, S.
SCHAUB, A. *see* SUMMERFIELD, A.
SCHAUER, U. *see* ROTHOEFT, T.
SCHEFFER, G.L. *see* MOSSINK, M.H.
SCHEPER, R.J. *see* MOSSINK, M.H.
SCHMIDT, R.E. *see* DRESCHER, B.
SCHNURR, M. *see* DAUER, M.
SCHOESTER, M. *see* MOSSINK, M.H.
SCHWEIGERT, F.J. *see* GARCIA, A.L.
SCIARRA, G. *see* CUZZOCREA, S.
SEPPÄLÄ, U. *see* WINKLER, B.
SERRAINO, I. *see* CUZZOCREA, S.
SHAULOV, A. *see* EXLEY, M.A.
SHI, J. *see* LIU, L.
SHIMADA, S. *see* MOROHASHI, T.
SHIN, H. *see* XU, L.
SIDOBRE, S. *see* SKÖLD, M.
SIMS-MOURTADA, J.C., GUZMAN-ROJAS, L., RANGEL, R., NGHIEM, D.X., ULLRICH, S.E., GURET, C., CAIN, K. & MARTINEZ-VALDEZ, H. *In vivo* expression of interleukin-8, and regulated on activation, normal, T-cell expressed, and secreted, by human germinal centre B lymphocytes, 296
SINGH, M. *see* VAJDY, M.
SKÖLD, M., STENSTRÖM, M., SIDOBRE, S., HÖGLUND, P., KRONENBERG, M. & CARDELL, S. MHC-dependent and -independent modulation of endogenous Ly49 receptors on $NK1.1^+$ T lymphocytes directed by T-cell receptor type, 313
SKELSEY, M.E., MAYHEW, E. & NIEDERKORN, J.Y. $CD25^+$, interleukin-10-producing $CD4^+$ T cells are required for suppressor cell production and immune privilege in the anterior chamber of the eye, 18
SKINNER, M.A., PARLANE, N., MCCARTHY, A. & BUDDLE, B.M. Cytotoxic T-cell responses to *Mycobacterium bovis* during experimental infection of cattle with bovine tuberculosis, 234
SMITHSON, S.L. *see* PRINZ, D.M.
SNAPPER, S.B. *see* EXLEY, M.A.
SOENAWAN, E. *see* VAJDY, M.
SONG, H.Y. *see* WORTINGER, M.A.
SONNEVELD, P. *see* MOSSINK, M.H.
SPANGFORT, M.D. *see* WINKLER, B.
SPEAR, G.T., ZARIFFARD, M.R., XIN, J. & SAIFUDDIN, M. Inhibition of DC-SIGN-mediated *trans* infection of T cells by mannose-binding lectin, 80
STEFANI, E. *see* SARTORIS, S.
STENSTRÖM, M. *see* SKÖLD, M.
STEPHENS, S.A., BROWNLIE, J., CHARLESTON, B. & HOWARD, C.J. Differences in cytokine synthesis by the sub-populations of dendritic cells from afferent lymph, 48
STILLS, H.F. *see* EXLEY, M.A.
STROMINGER, J.L. *see* HOU, R.
STUYT, R.J.L., NETEA, M.G., GEIJTENBEEK, T.B.H., KULLBERG, B.J., DINARELLO, C.A. & VAN DER MEER, J.W.M. Selective regulation of intercellular adhesion molecule-1 expression by interleukin-18 and interleukin-12 on human monocytes, 329
SUMMERFIELD, A., GUZYLACK-PIRIOU, L., SCHAUB, A., CARRASCO, C.P., TÂCHE, V., CHARLEY, B. & MCCULLOUGH, K.C. Porcine peripheral blood dendritic cells and natural interferon-producing cells, 440
SUNG, H.-C. *see* OH, K.-S.

TÂCHE, V. *see* SUMMERFIELD, A.
TAHIR, S.M.A. *see* EXLEY, M.A.
TAMAI, R., ASAI, Y., HASHIMOTO, M., FUKASE, K., KUSUMOTO, S., ISHIDA, H., KISO, M. & OGAWA, T. Cell activation by monosaccharide lipid A analogues utilizing Toll-like receptor 4, 66
TESTI, M.G. *see* SARTORIS, S.
THOMSEN, L.L. *see* BJORKDAHL, O.
TITE, J.P. *see* BJORKDAHL, O.
TODRYK, S.M. *see* CASEY, D.G.
TODRYK, S.M., GOUGH, M.J. & POCKLEY, A.G. Facets of heat shock protein 70 show immunotherapeutic potential, 1
TOWNSEND, H.G.G. *see* MENA, A.
TRIDENTE, G. *see* SARTORIS, S.
TSABARY, G. *see* XU, L.

UETA, E. *see* YAMAMOTO, T.
UGOZZOLI, M. *see* VAJDY, M.
ULLRICH, S.E. *see* SIMS-MOURTADA, J.C.

VAJDY, M., SINGH, M., UGOZZOLI, M., BRIONES, M., SOENAWAN, E., CUADRA, L., KAZZAZ, J., RUGGIERO, P., PEPPOLONI, S., NORELLI, F., DEL GIUDICE, G. & O'HAGAN, D. Enhanced mucosal and systemic immune responses to *Helicobacter pylori* antigens through mucosal priming followed by systemic boosting immunizations, 86
VAN DER MEER, J.W.M. *see* STUYT, R.J.L.
VAN RIEL, B. *see* DOOPER, M.M.B.W.
VAN SOEST, P.L. *see* COMMEREN, D.L.
VAN ZON, A. *see* MOSSINK, M.H.
VEGA, M.I., SANTOS-ARGUMEDO, L., HUERTA-YEPEZ, S., LURÍA-PEREZ, R., ORTIZ-NAVARRETE, V., ISIBASI, A. & GONZÁLEZ-BONILLA, C.R. A *Salmonella typhi* OmpC fusion protein expressing the CD154 Trp140–Ser149 amino acid strand binds CD40 and activates a lymphoma B-cell line, 206
VOLZ, A. *see* RADELOFF, B.
VON ANDRIAN, U.H. *see* WAN, J.

WAN, J., MARTINVALET, D., JI, X., LOIS, C., KAECH, S.M., VON ANDRIAN, U.H., LIEBERMAN, J., AHMED, R. & MANJUNATH, N. The Bcl-2 family pro-apoptotic molecule, BNIP3 regulates activation-induced cell death of effector cytotoxic T lymphocytes, 10
WANG, C. *see* EXLEY, M.A.
WANG, L.D. & CLARK, M.R. B-cell antigen-receptor signalling in lymphocyte development, 411
WASHINGTON, E.A. *see* PETERS, M.A.
WATANO, K. *see* MOROHASHI, T.
WEICHEL, M. *see* RHYNER, C.
WEINMANN, O., GUTZMER, R., ZWIRNER, J., WITTMANN, M., LANGER, K., LISEWSKI, M., MOMMERT, S., KAPP, A. & WERFEL, T. Up-regulation of C5a receptor expression and function on human monocyte derived dendritic cells by prostaglandin E_2, 458
WELDINGH, K.N. *see* AGGER, E.M.
WERFEL, T. *see* WEINMANN, O.
WESTERINK, M.A.J. *see* PRINZ, D.M.
WIEDERMANN, U. *see* WINKLER, B.
WIEMER, E.A.C. *see* MOSSINK, M.H.
WILSON, S.B. *see* HOU, R.
WINKLER, B., BOLWIG, C., SEPPÄLÄ, U., SPANGFORT, M.D., EBNER, C. & WIEDERMANN, U. Allergen-specific immunosuppression by mucosal treatment with recombinant Ves v 5, a major allergen of *Vespula vulgaris* venom, in a murine model of wasp venom allergy, 376
WITCHER, D.R. *see* WORTINGER, M.A.
WITTE, T. *see* DRESCHER, B.
WITTMANN, M. *see* WEINMANN, O.
WOODS, G.M. *see* BELLETTE, B.M.
WORM, M. *see* GARCIA, A.L.
WORTINGER, M.A., FOLEY, J.W., LAROCQUE, P., WITCHER, D.R., LAHN, M., JAKUBOWSKI, J.A., GLASEBROOK, A. & SONG, H.Y. Fas ligand-induced murine pulmonary inflammation is reduced by a stable decoy receptor 3 analogue, 225
WOZNIAK, T. *see* BELLETTE, B.M.

XIE, S. *see* JIN, Y.
XIE, X. *see* LIU, L.
XIN, J. *see* SPEAR, G.T.
XU, L., HILLIARD, B., CARMODY, R.J., TSABARY, G., SHIN, H., CHRISTIANSON, D.W. & CHEN, Y.H. Arginase and autoimmune inflammation in the central nervous system, 141

YAMAMOTO, T., UETA, E. & OSAKI, T. Apoptosis induction by interleukin-2-activated cytotoxic lymphocytes in a squamous cell carcinoma cell line and Daudi cells – involvement of reactive oxygen species-dependent cytochrome c and reactive oxygen species-independent apoptosis-inducing factors, 217
YANAGAWA, Y. *see* IIJIMA, N.
YANG, J. *see* MCPHERSON, S.W.
YIMIN, KOHANAWA, M. & MINAGAWA, T. Up-regulation of granulomatous inflammation in interleukin-6 knockout mice infected with *Rhodococcus aurantiacus*, 501
YUAN, Z. *see* LIU, L.

ZANONI, G. *see* SARTORIS, S.
ZARIFFARD, M.R. *see* SPEAR, G.T.
ZEMANN, B. & ROT, A. What dogs may teach humans about the vertical transmission of allergy predisposition, 427
ZHANG, Q. *see* JIN, Y.
ZHOU, X. *see* LIU, L.
ZIRRA, M. *see* RADELOFF, B.
ZWIRNER, J. *see* WEINMANN, O.

Subject index

5-lipoxygenase (5-LO):
  5-LO knock out mice, 120
  peptidyl leukotrienes, 120

ACAID:
  $CD25^+$ T cells, 18
  DTH, 18
  immune regulation, 18
  suppressor cells, 18
Acute respiratory distress syndrome (ARDS):
  lung inflammation, 225
  neutrophil infiltration, 225
  pulmonary permeability, 225
Adaptive immune response:
  immunisation, 474
Adhesion molecules:
  E-selectin, 120
  ICAM-1, 120, 329
  inflammation, 329
  P-selectin, 120
Age, 149
Allergy:
  allergen, 493
  asthma, 427, 493
  predisposition, 427
  recombinant Ves v 5, 376
  susceptibility, 493
  vertical transmission, 427
  wasp venom, 376
Allograft inflammatory factor-1 (AIF-1):
  AIF-1 transgenic mice, 112
Animal model:
  murine, 376
  porcine (swine), 440
Antibodies:
  IgA, 149
  IgG, 335
  IgM, 149
Antigen receptor:
  B cell, 401
  IgE antigen receptor, 401
Antigen:
  diagnostic potential, 507
  β-galactosidase, 386
  rv3878, 507
  T cell responses, 507
  toxic shock syndrome toxin-1 (TSST-1), 430
  uptake, 466
Anti-viral:
  encephalomyocarditis virus
    (ECMV-D), 519
  picornavirus, 519
APCs:
  B cells, 95
  dendritic cells, 95, 430
  macrophages, 95, 430
  TCR translocation, 430
Apoptosis:
  apoptosis inducing factor, 217
  Bcl-2 family, 10
  BNIP3, 10
  caspase, 10
  cytochrome C, 217
  reactive oxygen species, 217
Arachdionic acid, 348
Arginase:
  arginase I:
    mRNA, 141
    protein, 141
  inflammation, 141
  inhibitor ABH, 141
Autoimmune response:
  anti-DNA antibodies, 482
  autoreactive B cells, 482
Autoimmunity: 293
  EAE, 141
  multiple sclerosis, 141
  uveoretinitis, 386
Avian:
  chicken, 358

B-cell activation, 206
B cells:
  lymphopoiesis, 149
B lymphocytes:
  Ig production, 131
B-cell antigen receptor, 411

Canine models:
  parental, 427
Carotenoids:
  β-carotene, 180
  lycopene, 180
CCR7:
  chemokine receptors, 170
  murine, 170
CD1d system:
  NKT cells, 519
  CD161, 519
  NK1.1, 519
$CD25^+$ T cells:
  role in ACAID, 18
CD40:
  CD154, 131
  humoral response, 131
  soluble CD40, 131
CD8 T cells:
  T cell clone-β3, 386
Cell surface markers:
  CD40, 206
  CD40L, 206
  CD44, 170
  CD62, 170
  CD154, 206
Cellular differentiation, 38
Central nervous system:
  brain, 141
  spinal cord, 141
Chemokines:
  B cell expression, 296
  IL-8 (CxC), 296
  RANTES (CC), 296
Chemotaxis:
  F-actin polymerisation, 458
  prostaglandin E2 (PGE_2), 458
Coeliac disease (CD):
  anti-gliadin antibody, 269
  gliadin, 269
  gluten intolerance, 269
Complement:
  C2, 73
  C3 deposition, 258
  C5a/C5a-receptor, 458
  classical pathway, 73
  regulatory protein Crry, 258
Costimulatory molecules:
  CD40, 197
  CD80, 197
  CD86, 197
CpG motif, 341
CpG oligodeoxynucleotide (ODN):
  CpG-DNA, 250
  intracellular pathogens, 250
Cytokine(s):
  expression, 358
  GM-CSF, 440
  IFN-α, 38, 358
  IFN-γ, 48, 170, 358, 501, 519
  IFN, 440
  IL-1β, 112, 358
  IL-1, 48
  IL-2, 30, 170
  IL-3, 440
  IL-4, 38, 112
  IL-6, 48, 348, 501
  IL-8, 66
  IL-10, 48, 112, 348
  IL-12, 9, 30, 38, 48, 329, 485, 519
  IL-18, 329
  induction, 358
  TGF-β_4, 358

TNF-α, 66, 197, 329, 348, 501
Cytotoxic T lymphocytes (CTL):
AICD, 10
$CD8^+$ T cell, 234
γδ T cell, 234
ROS production, 10

Decay-accelerating factor (DAF):
complement-mediated injury, 258
glomerulonephritis, 258
Decoy receptor 3 (DcR3):
FasL antagonist, 225
Dendritic cell subsets:
blood DC, 440
comparative immunology, 440
natural interferon producing cells (NIPC), 440
Dendritic cell(s), 38, 58
afferent lymph, 48
DC-SIGN, 80
human, 458
IL-10, 458
maturation, 188, 322
maturation stimuli, 458
MHC class II^{dim}, 188
murine, 197
murine myeloid, 188
Th1/Th2 polarization, 197
phenotypic changes, 322
signal pathways, 322
sub-populations:
$SIRP\alpha^+$ $CC81Ag^-$ DC, 48
$SIRP\alpha^-$ $CC81Ag^+$ DC, 48
Dietry oils:
dihomo-γ-linolenic acid, 348
immuno-modulation, 348
Differentiation:
1α,25-dihydroxyvitamin D_3, 450
lipopolysaccharide, 450
Disintrigin:
decysin, 450
MADDAM, 450
DNA vaccines:
multiepitope, 242
peptide mimics, 242
protective immunity, 242
DNCB, 322

Embryo:
development, 358
mitogen stimulation, 358
thymocytes, 358
Endothelium:
murine EC, 258
PI-3 kinase, 258
PKCα, 258
Environmental factors:
phthalate, 482
Enzymes:
arginase, 141
cyclooxygenase, 348
nitric oxide synthase, 141
Estrogen receptor:
alpha, 149
beta, 149
Eye: 293

Fas ligand:
murine model, 225
recombinant FasL, 225
Fc receptor:
affinity, 335
CD16, 335
FcRγIII, 335
human, 335
Fusion proteins:
OmpC-gp39, 206

Gene transfer:
adenovirus, 275
chimerism, 275
CTLA4Ig, 275
Genital infection:
Chlamydia trachomatis, 368
infertility, 368
Germinal centres (GC):
centroblast, 296
centrocytes, 296
T cell homing, 296
Granuloma:
inflammation, 501
necrosis, 501

HCMV, 513
Heat shock protein (HSP):
$gp70\text{-}antigen^+$ B16, 105
HSP70, 1, 105
immunoregulation, 1
pro-inflammatory response, 1
Helicobacter pylori:
cytotoxin associated gene A (CagA), 86
neutrophil activating protein (NAP), 86
Hepatitis C virus (HCV), 513
HIV:
T cells, 80
trans infection, 80

IL-10:
effect on costimulatory molecules, 188
effect on GM-CSF, 188
Immune privilege: 293
ACAID, 18
brain, 386
$CD25^+$ T cells, 18
eye, 386
eye anterior chamber, 18
retina, 386
Immune response:
human, 507
TB27.4, 507
Immune responsiveness, 58
Immune stimulating complexes (ISCOMS):
vaccine adjuvants, 95
Immune system ontogenesis:
B lymphocytes, 180
IgG, 180
T lymphocytes, 180
Immunisation:
mucosal:
intra-nasal, 86
oral, 86
prime/boost, 86
systemic:
intra-muscular, 86
Immunoglobulin(s):
IgE, 401
IgG1, 86
IgG2a, 86
membrane, 401
mucosal IgA, 86
Immunotherapy:
autoimmune disease, 1
peptide specific immunity, 1
Inhibitory receptors:
Ly49 family, 313
modulation by MHC class I, 313
Innate immune response, 291
Innate immunity:
2'-5'-oligoadenylate synthetase, 250
IFN-α secretion, 250
microbial infection, 341
NK activity, 250
skin, 341
Invariant NK T cell (iNKT):
$CD4^+$, 30
$CD4^-$ $CD8^-$, 30

Knock-out mice:
BERKO, 149
DERKO, 149
ERKO, 149

LAK cells:
mitochondria, 217
Daudi cells
Langerhans' cells:
lymph node, 466
neonatal, 466
Lipopolysaccharide (LPS): 348
lipid A, 66
lipid analogs, 66
synthetic monosaccharides, 66

Lymph node:
human, 304
lymphocyte populations:
$CD8^+$ cells, 304
NK cells, 304
Lymphocyte development, 411

Macropinocytosis:
Wortmannin (inhibitor), 466
Mannose binding lectin (MBL), 80
Memory T cells:
$CD8^+$, 513
$CD27^-/CD28^-$, 513
differentiation, 513
Metalloprotease:
decysin, 450
MADDAM, 450
MHC class I:
antigens, 421
antigen presentation pathway, 163
CTL lysis, 163
proteins, 163
MHC class II:
$CD4^+$ T cells, 95
Microarray, 141
Monocytes:
dendritic cells, 450
GM-CSF, 38
macrophages, 450
maturation, 450
THP-1 cell line, 329
Mucosal tolerance:
induction, 376
prophylactic treatment, 376
Murine models:
BALB/c, 368
C3H/HeN, 368
C57BL/6, 368
knock-out, 58
major vault protein (MVP)/lung-resistance related protein (LRP), 58
P14, 10
postnatal, 180
transgenic, 10
vaccinia virus, 10
Mycobacterium tuberculosis:
proteins, 507
RD1 region, 507

Natural killer cells:
KIR, 421
Neisseria meningitidis:
bacterial activity, 242
capsular polysaccharide, 242
N-glycosylation:
function, 335
N163, 335
NA1 allele, 335
NK T cells:
Cd1d restricted, 313

Ovine models:
outbred species, 250

p38 MAPK:
activation, 322
inhibition, 322
Pancreatitis:
cerulein-induced, 120
inflammation, 120
neutrophil infiltration, 120
Parent:
children, 493
maternal, 493
Phage-displayed scFv:
gliadin binding, 269
IgA, IgG, IgM, 269
monoclonal isotype specific, 269
polyclonal enrichment, 269
Physical trauma:
intradermal infection, 341
Pro-inflammatory mediators:
GM-CSF, 225
KC, 225
MIP-2, 225

Protective immunity:
immune response, 368
intranasal immunization, 368

Reducing suppliers:
N-acetyl-L-cysteine (NAC), 197
reduced glutathione (GSH), 197
Renal disease:
chronic, 131
uremic, 131
Retinoids:
vitamin A (retinol), 180
Rhodococcus auranticus, 501

Salmonella typhi, 206
Schistosoma mansoni:
co-infection, 513
Sh-CRIT-ed1:
anti-complementary, 73
recombinant, 73
Signalling: 411
cytoplasmic, 401
protein kinases, 401
transduction, 401

T cells:
CD4 T cells, 170
CD8 T cells, 170
HSB-2, 329
Jurkat J16, 329
memory T cells, 170
T-helper cells:
T-cell differentiation, 430
Th1 cells, 430
Th2 cells, 430
T-regulatory cells:
anergy, 304
$CD4^+$ $CD25^+$, 304
TCRVβ, 304
Th2 responses:
IFN-γ, 86
IL-4, 86
TNBS-induced colitis:
murine model, 112
Th1 type disease, 112
TNF-α: 322
cytoprotection, 258
Tolerance: 293, 386
Toll-like receptors (TLRs):
murine models, 341
NF-κB, 66
TLR-2, 66
TLR-4, 66
TLR-9, 341
Transplantation:
animal models, 275
bone marrow cells (BMCs), 275
cardiac, 275
splenocytes (SPLCs), 275
Tuberculosis:
cattle, 234
Mycobacterium bovis, 234
vaccines, 234
Tumour:
B7-1, 474
BALB/c mice, 105
co-stimulation, 474
immunogenecity, 474
melanoma, 105
tumour antigens, 105
vaccines, 105

Vaccines:
DNA, 291
intradermal injection, 291
Vaults:
major vault protein (MVP), 58
lung resistance-related protein (LRP), 58
Viruses:
immune evasion, 163
herpesvirus, 163
human, 163